

Advocate Occupational Health Locations – Illinois

Downers Grove Center
3825 Highland Ave, STE 103
Downers Grove, IL 60515
P: 630-275-2900

Skokie Center
5540 Touhy Ave
Skokie, IL 60077
P: 847-647-0355

Elk Grove Center
1502 Elmhurst Rd
Elk Grove Village, IL 60007
P: 847-228-0515

Hazel Crest Center
17850 S Kedzie, STE 1100
Hazel Crest, IL 60429
P: 708-799-8245

Lake Zurich Center
350 Surryse Rd, STE 110
Lake Zurich, IL 60047
P: 847-842-7565

Imani Village - Chicago
901 E. 95th St.
Chicago, IL 60619
P: 773-967-4230

Gurnee Center
1445 Hunt Club Rd
Gurnee, IL 60031
P: 847-249-2800

Vernon Hills Center
6 Phillips Rd
Vernon Hills, IL 60061
P: 847-680-0500

Advocate Medical Group - West
1221 N Highland Ave
Aurora, IL 60606
P: 630-859-6822

Advocate Medical Group - West
2500 W Fabyan Pkwy
Batavia, IL 60510
P: 630-762-4731

Sherman - South Elgin
2000 McDonald Rd
South Elgin, IL 60177
P: 224-783-5000

Sherman - Elgin
2320 Royal Boulevard
Elgin, IL 60123
P: 224-783-4440

Sherman - Algonquin
600 South Randall Rd
Algonquin, IL 60102
P: 224-783-4300

Occupational Health Services

Medical Examination

You will be asked to complete forms regarding your past medical history, occupational history and current health status.

Urine Drug Screen

- Bring a picture identification, which may include a valid driver's license, passport, employee ID badge with photograph, or an employer representative to confirm your identity.
- Bring a Social Security number or an employee identification number.
- If not 18 years of age, a legal parent or guardian must accompany individual.
- No individuals (including children) will be allowed in the restroom during the collection.

DOT Exam & Drug Screen

*Bring a valid driver's license.

Audiogram

- Avoid excessive noise for 14 hours prior to your hearing test. If you must be exposed to excessive noise, please wear hearing protection the day of your test.
- You should not have an active ear, sinus or other severe respiratory infection.

Spirometry

- Do not smoke for at least two (2) hours prior to the test and avoid large intakes of food and water for the same two hours.
- Do not use any bronchodilators within one (1) hour prior to the test.
- You should not have had a major illness or severe cold or other respiratory infection within the three weeks prior to this test.

Preplacement Functional Test

- Please wear comfortable clothing and exercise shoes.